


FIG. 1






FIG. 3





FIG. 4



NUMBER OF TILES IN ONE PAGE: 220×156 = 34,320

FIG. 5




FIG. (




FIG. 7

DER PART 804	FIRST HEADER PART 801 SECOND HEADER PART 802 THIRD HEADER PART 803 FOURTH HEADER PART 804	ER PART 803	THIRD HEAD	DER PART 802	SECOND HEAD	ER PART 801	FIRST HEAD
	\[\left\]						
NC	ID = IP203 Mode = 2 $ID = IP204$ Mode = 0 $ID = IP205$ Mode = 1 $ID = RAMI03$	Mode = 1	ID = IP205	Mode = 0	ID = IP204	Mode = 2	ID = IP203
800							

FIG. 8




FIG. 9




FIG. 10




FIG. 1




FIG. 12

NC	FOURTH HEADER PART		
NC	FOURTH HE		
NC	DER PART		
NC	THIRD HEADER PART	FIG. 13	
NC	ADER PART	FIG	
ID = IP205 Mode = 1 ID = RAM103	SECOND HEADER PART		
Mode = 1	DER PART		
ID = IP205	FIRST HEADER PART		

FIG. 14

FOURTH HEADER PART

THIRD HEADER PART

SECOND HEADER PART

FIRST HEADER PART 1401

NC

NC

NC

NC

NC

NC

NC

ID = RAM103




FIG. 15

500	Tank Bear
à	Thear.
4	İ
See.	deres
200	Bres
	Sec.
ardie.	Ļ
11/10	Greek
2	
100	Section of
	25
-	
ż	6
****	A stone
0,00	Shap
8	£

TOUTCH PANEL SELECTION OPERATION	SELECTION MODE	IP FUNCTION USED IN IMAGE PROCESSING	IMAGE PROCESSING CONTENTS	IMAGE PROCESSING MODE
	STANDARD		100×100dpi	mode 0
RESOLUTION	FINE	RESOLUTION CONVERSION FUNCTION SECTION 203	100×200dpi	mode 1
	SUPERFINE		100×400dpi	mode 2
TYPE OF	CHARACTER	BINARIZATION	SIMPLE BINARIZATION	mode 0
DOCUMENT	PHOTOGRAPH	FUNCTION SECTION 204	ERROR DIFFUSION METHOD mode 1	mode 1

FIG. 1

IMAGE DATA	
NC	
ID = RAM103	
Mode = 0	
ID = IP204	
Mode = 1	
ID = IP203	

FIRST HEADER PART

SECOND HEADER PART THIRD HEADER PART

FIG. 1

ID = IP204 Mode = 0 ID = RAM103	ID = RAM	1103	NC	NC	NC	IMAGE DATA
FIRST HEADER PART SECOND	SECOND	百	SECOND HEADER PART	THIRD HEADER PART	DER PART	
			FIG. 18			
NC NC	NC		NC	INC	NC	IMAGE DATA
<						
FIRST HEADER PART SECOND F	SECOND F	Σ₫	SECOND HEADER PART	THIRD HEADER PART	DER PART	

FIG. 19